WHAT IS CLAIMED IS:

- 1. A game ball comprising a spherical carcass and a one-piece cover, the cover being
- 2 free of a backing layer, the cover surrounding the carcass and bonded to the carcass without an
- 3 adhesive, the cover having a thickness less than 0.8 mm.
- 1 2. The game ball of claim 1, wherein the cover is formed of a material selected from
- 2 the group consisting of a wet process polyurethane, a dry process polyurethane, a coagulated
- 3 polyurethane, other polyurethanes and combinations thereof.
- The game ball of claim 1, wherein the carcass includes a bladder and at least one
- 2 thread wound around the bladder.
- 1 4. The game ball of claim 3, wherein the carcass further includes at least one panel
- 2 molded over the thread-wound bladder.
- 5. The game ball of claim 1, wherein the cover is formed of a material having a
- density within the range of 200-1200 kg/m³.
- 1 6. The game ball of claim 1, wherein the cover is formed of a material having a
- 2 density within the range of 400-600 kg/m³.
- The game ball of claim 1, wherein the cover is formed of a material having a
- 2 density within the range of 250-350 kg/m³.
- 1 8. The game ball of claim 1, wherein the cover is formed of a material having a
- density within the range of $600-850 \text{ kg/m}^3$.

- 9. The game ball of claim 1 wherein the cover has a thickness within the range of
 2 0.2 and 0.75 mm.

 1 10. The game ball of claim 1, wherein the cover has a thickness of less than 0.5 mm.
- 1 11. A game ball comprising:
- 2 a carcass; and
- a cover layer formed without a backing layer, the cover layer substantially
 surrounding the carcass, the cover layer having a thickness less than 0.8 mm, the cover layer
 being selected from the group consisting of a sprayed-on cover, a painted-on cover, an electrostatically painted-on cover, a brushed-on cover, a dipped-on cover, and combinations thereof.
- 1 12. The game ball of claim 11, wherein the cover layer is a one-piece structure.
- 1 13. The game ball of claim 11 wherein the cover layer is formed of a material selected from the group consisting of a urethane, a wet process polyurethane, a dry process polyurethane, a coagulated polyurethane, other polyurethanes, a plastic, and combinations thereof.
- 1 14. The game ball of claim 11 wherein the carcass includes an inflatable bladder and 2 at least one thread wound around the bladder.
- 1 15. The game ball of claim 14 wherein the carcass further includes at least one panel molded over the thread-wound bladder.

- 1 16. The game ball of claim 11, wherein the cover layer is formed of a material having
- a density within the range of 200-1200 kg/m³.
- 1 The game ball of claim 11, wherein the cover layer is formed of a material having
- 2 a density within the range of 400-600 kg/m³.
- 1 18. The game ball of claim 11, wherein the cover layer is formed of a material having
- a density within the range of 250-350 kg/m³.
- 1 19. The game ball of claim 11, wherein the cover layer is formed of a material having
- a density within the range of 600-850 kg/m³.
- 1 20. The game ball of claim 11 wherein the cover layer is formed around the carcass
- 2 without the use of an adhesive agent.
- 1 21. The game ball of claim 11 further comprising an adhesive agent at least partially
- 2 connecting the cover layer to the carcass.
- 1 22. The game ball of claim 11 wherein the cover layer has a thickness within the
- 2 range of 0.2 and 0.75 mm.
- The game ball of claim 11, wherein the game ball is selected from the group
- 2 consisting of a basketball, a football, a soccer ball and a volleyball.
- The game ball of claim 11, wherein the cover layer has a thickness of less than 0.5
- 2 mm.

- 25. A game ball comprising a spherical carcass and a cover, the cover including a thin
- 2 layer of backing cloth and a cover including a resilient cover material integrally formed with the
- 3 thin layer of backing, the cover material selected from the group consisting of a wet process
- 4 polyurethane, a dry process polyurethane, a coagulated polyurethane, other polyurethanes and
- 5 combinations thereof, the cover surrounding the carcass and having a thickness less than 0.8 mm.
- 1 26. The game ball of claim 25 wherein the cover is bonded to carcass with an
- 2 adhesive.
- The game ball of claim 25, wherein the cover material has a density within the
- 4 range of 200-1200 kg/ m^3 .
- 1 28. The game ball of claim 25, wherein the cover material has a density within the
- 2 range of $400-600 \text{ kg/m}^3$.
- 1 29. The game ball of claim 25, wherein the cover material has a density within the
- 2 range of 250-350 kg/m 3 .
- 1 30. The game ball of claim 25, wherein the cover material has a a density within the
- 2 range of $600-850 \text{ kg/m}^3$.
- 1 31. The game ball of claim 25, wherein the cover has a thickness within the range of
- 2 0.2 and 0.75 mm.
- The game ball of claim 25, wherein the cover has a thickness of less than 0.5 mm.